



**University of  
Zurich**<sup>UZH</sup>

**Zurich Open Repository and  
Archive**

University of Zurich  
Main Library  
Strickhofstrasse 39  
CH-8057 Zurich  
[www.zora.uzh.ch](http://www.zora.uzh.ch)

---

Year: 2017

---

## **New graphic schemes for Stata: plotplain and plottig**

Bischof, Daniel

**Abstract:** While Stata's computational capabilities have intensively increased over the last decade, the quality of its default graphic schemes is still a matter of debate among users. Some of the arguments speaking against Stata's default graphic design are subject to individual taste but others are not, for example, horizontal labeling, unnecessary background tinting, missing gridlines, and oversized markers. In this article, I present two new graphic schemes, plotplain and plottig, that attempt to address these concerns. These schemes provide users a set of 21 colors, of which 7 colors are distinguishable for people suffering from color blindness. I also give an introduction on how users can program their own graphic schemes.

DOI: 10.1177

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-139024>

Journal Article

Supplemental Material

Originally published at:

Bischof, Daniel (2017). New graphic schemes for Stata: plotplain and plottig. *The Stata Journal*, 17(3):748-759.

DOI: 10.1177



The Issue

Solutions

blindschemes

The Schemes

Adaptation

Conclusion

# New Figure Schemes for Stata: plotplain & plottig

Daniel Bischof<sup>1</sup>

<sup>1</sup>University of Zurich

November 17, 2016



# The Default Stata Figure Schemes

The Issue



Solutions

blindschemes

The Schemes

Adaptation

Conclusion





# Limitations

The Issue

Solutions

blindschemes

The Schemes

Adaptation

Conclusion

- colors are difficult to differentiate for colorblind people
- background tinting
- frames
- symbols, markers, lines often too thick
- gridlines only parallel to x-axis
- legends could be placed closer to content of figure



# Solutions

The Issue

**Solutions**

blindschemes

The Schemes

Adaptation

Conclusion

**1** the obvious solution is to produce code



# Solutions

The Issue

**Solutions**

blindschemes

The Schemes

Adaptation

Conclusion

**1** the obvious solution is to produce code; lots of code . . .



# Solutions

The Issue

Solutions

blindschemes

The Schemes

Adaptation

Conclusion

```
twoway ///  
(line numcountries year, lcolor(gs12)) ///  
, ylabel(, angle(horizontal)) xtitle("") ///  
graphregion(fcolor(white) lcolor(white)  
lwidth(vvvthick) ifcolor(white)  
ilcolor(white) ilwidth(vvvthick)) ///  
plotregion(lcolor(white) lwidth(vvvthick)  
ifcolor(white) ilcolor(white)  
ilwidth(vvvthick)) ///  
legend(cols(1) region(lcolor(white)))
```



# Solutions

The Issue

**Solutions**

blindschemes

The Schemes

Adaptation

Conclusion

- 1 the obvious solution is to produce code; lot's of code . . .
- 2 use Billy Buchanan's [brewscheme](#) to define your own designs





# Solutions

The Issue

**Solutions**

blindschemes

The Schemes

Adaptation

Conclusion

- 1 the obvious solution is to produce code; lot's of code ...
- 2 use Billy Buchanan's [brewscheme](#) to define your own designs
- 3 write a new package addressing some of the key limitations



# Why write a new figure scheme?

The Issue

Solutions

blindschemes

The Schemes

Adaptation

Conclusion

- ! time
  - ! ensure quality (create uniform norm)
  - ! simplify the usage of more and new colors
  - ! many users lack knowledge how to adapt figures
- ⇒ there seems to be a high demand for new and alternative figure schemes



## Solution 3: Write a new figure scheme

The Issue

Solutions

**blindschemes**

The Schemes

Adaptation

Conclusion

I wrote 2 figure schemes:

- **plotplain**: very simple, “clean” figure scheme
- **plottig**: replicates [ggplot2](#) (R) by Hadley Wickham in most regards



## Solution 3: Write a new figure scheme

The Issue

Solutions

**blindschemes**

The Schemes

Adaptation

Conclusion

I wrote 2 figure schemes:

- **plotplain**: very simple, “clean” figure scheme
  - **plottig**: replicates [ggplot2](#) (R) by Hadley Wickham in most regards
- both available with colors distinguishable for colorblind people



# Solution 3: blindschemes in the SSC Archive

The Issue

Solutions

**blindschemes**

The Schemes

Adaptation

Conclusion

---

package **blindschemes** from <http://fmwww.bc.edu/RePEc/bocode/b>

---

## **TITLE**

'BLINDSCHEMES': module to provide graph schemes sensitive to color vision deficiency

## **DESCRIPTION/AUTHOR(S)**

While Stata's computational capabilities have intensively increased over the last decade, the quality of its default figure schemes is still a matter of debate amongst users. Clearly some of the arguments speaking against Stata figures are subject to individual taste, but others are not, such as for instance: horizontal labelling, unnecessary background tinting, missing gridlines, oversized markers. The two schemes introduced here attempt to solve the major shortcomings of Stata's default figure schemes. The schemes come with 21 new colors, of which seven colors are distinguishable for people suffering from color blindness. This package provides users with four new figure schemes: plotplain (plain and simple plotting environment, avoids chartjunk); plotplainblind (plain and simple plotting environment, avoids chartjunk + colorblind friendly); plottig (replicates R ggplot in most regards); plottigblind (replicates R ggplot in most regards + colorblind friendly)



# Plotplain

The Issue


Solutions

blindschemes

The Schemes

Adaptation

Conclusion





# Plottig

The Issue


Solutions

blindschemes

The Schemes

Adaptation

Conclusion





# The colorblind colors

The Issue

Solutions


blindschemes

The Schemes


Adaptation

Conclusion

plotplainblind



plottig







# Adaptation of Code: Gridlines

The Issue

Solutions

blindschemes

The Schemes

Adaptation


Conclusion

```
lpoly nkill iyear if region==12, ///  
ci legend(off) title("Polynomial fit of terrorist  
casualties in Western Europe") ///  
note("")
```



# Adaptation of Code: Gridlines

- The Issue
- Solutions
- blind schemes
- The Schemes
- Adaptation**
- Conclusion





# Adaptation of Code: Gridlines

The Issue

Solutions

blindschemes

The Schemes

Adaptation


Conclusion

```
lpoly nkill iyear if region==12, ///  
ci legend(off) title("Polynomial fit of terrorist  
casualties in Western Europe") ///  
note("") xlabel(, nogrid)
```



# Adaptation of Code: Gridlines

- The Issue
- Solutions
- blindschemes
- The Schemes
- Adaptation**
- Conclusion





# Conclusion

The Issue

Solutions

blindschemes

The Schemes

Adaptation

Conclusion

- + Improvement: Less code needed, users can focus on other tasks
- + Disagreement: Even if you disagree, less changes are needed for further adaptation
  - Concerns: Still issues remain, e.g. overlapping confidence intervals
- For further information including the working paper on the schemes:

[danbischof.com](http://danbischof.com)