



Year: 2020

Ethical and Practical Issues in Video Surveillance of Psychiatric Units

Appenzeller, Yahel E ; Appelbaum, Paul S ; Trachsel, Manuel

Abstract: Objectives: Video surveillance is used in inpatient psychiatry in many countries and institutions. However, its use varies considerably because of a lack of research, discussion, and agreement on best practice. This review provides an overview of current issues in the use of video surveillance in psychiatry, with a focus on ethical questions and their practical implications. Methods: A narrative review of literature on video surveillance in psychiatry was conducted. References were identified through searches of PubMed, CINAHL, MEDLINE, PsycINFO, and Google Scholar for articles published before December 2018. Sixteen articles in English and German were reviewed. Results: The ethical challenges and practical implications differ between surveillance of public spaces versus private areas, such as bedrooms or seclusion rooms. The most common reason for video surveillance was to increase security and safety. However, empirical evidence suggests that it is not useful in increasing security of shared spaces on psychiatric wards. Some evidence exists for clinical benefits of video surveillance in private spaces (e.g., allowing patients to sleep undisturbed). Video surveillance can increase patients' choices regarding monitoring options. The main ethical conflict lies in balancing patients' autonomy and privacy versus patient and staff security and safety. Conclusions: Whether video monitoring is used in the most effective and ethical manner needs to be reconsidered. Available evidence does not support its use as a security measure. More research is needed to evaluate the benefits, risks, and best practices of using video monitoring for patient observation, with consideration given to increasing the role of patient consent.

DOI: <https://doi.org/10.1176/appi.ps.201900397>

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-179658>

Journal Article

Accepted Version

Originally published at:

Appenzeller, Yahel E; Appelbaum, Paul S; Trachsel, Manuel (2020). Ethical and Practical Issues in Video Surveillance of Psychiatric Units. *Psychiatric Services*, 71(5):480-486.

DOI: <https://doi.org/10.1176/appi.ps.201900397>

Ethical and practical issues in video surveillance of psychiatric units

Yahel E Appenzeller, MMed¹; Paul S Appelbaum, MD²; and Manuel Trachsel, MD, PhD¹

¹Institute of Biomedical Ethics and History of Medicine, University of Zurich, Switzerland

²Department of Psychiatry, Columbia University College of Physicians & Surgeons, New York, USA

Word count, excluding title page, abstract, references, figures and tables: 3519

Disclosures: The authors declare no competing interests.

Correspondence to:

Manuel Trachsel, MD, PhD

Institute of Biomedical Ethics

University of Zurich

Winterthurerstrasse 30

8006 Zurich

Switzerland

manuel.trachsel@uzh.ch

+41(0)786854454

Highlights:

- The main ethical conflict with regard to video surveillance in psychiatry lies between patients' autonomy and privacy versus patient and staff security and safety.
- Empirical evidence suggests that video surveillance is not useful in increasing security of shared spaces on psychiatric wards.
- Some empirical evidence exists for clinical benefits of video surveillance in private spaces of psychiatric wards (e.g., to allow patients to sleep undisturbed).
- Video surveillance can increase patients' choices during coercive measures such as seclusion and restraint.

Structured Abstract

Objectives: Video surveillance is used in inpatient psychiatry in many countries and institutions.

However, its use varies considerably due to a lack of research, discussion and agreement on best practice. This review provides an overview of the current issues surrounding the use of video surveillance in psychiatry, with a focus on ethical questions and their practical implications.

Methods: A narrative review of literature on video surveillance in psychiatry was conducted. References were identified through searches of PubMed, CINAHL, MEDLINE, PsycINFO, and Google Scholar for articles published before December 2018, using the terms “psychi*”, “video”, “monitoring”, “CCTV”, “observation”, “privacy”, “coercion”, “seclusion”, and “restraint”. Articles in English and German resulting from these searches and relevant references cited in those articles were reviewed.

Results: The ethical challenges and practical implications differ between surveillance of public spaces versus private areas such as bedrooms or seclusion rooms. The most common reason offered for video surveillance is to increase security and safety. However, empirical evidence suggests that video surveillance is not useful in increasing security of shared spaces on psychiatric wards. On the other hand, there is some evidence for clinical benefits of video surveillance in private spaces of psychiatric wards (e.g., to allow patients to sleep undisturbed). Furthermore, video surveillance can increase patients’ choices regarding monitoring options. The main ethical conflict with regard to video surveillance in psychiatry lies in balancing patients’ autonomy and privacy versus patient and staff security and safety.

Conclusions: Whether video monitoring is being used in the most effective and ethical manner needs to be reconsidered. Available evidence does not support its use as a security measure. More research is needed to evaluate the benefits, risks and best practices of using video monitoring for patient observation, with consideration given to increasing the role of patient consent.

Introduction

Over the past decades, video surveillance, also known as closed-circuit television (CCTV), has been installed in psychiatric wards throughout the developed world (1–7). Cameras record communal areas shared by patients and staff (1, 2, 5–7) and private areas ranging from patient bedrooms (4, 8) to seclusion rooms (1–3, 5), with large variations among countries and institutions. Whilst the use of video surveillance in public spaces, particularly in cities, has been widely discussed (9–11), the introduction of video surveillance to psychiatric wards has received comparatively little scrutiny. However, the use of video surveillance in psychiatry is controversial and a discussion on ethical and practical issues is long overdue.

Methods

References were identified through searches of PubMed, CINAHL, MEDLINE, PsycINFO, and Google Scholar for articles published before December 2018, using the terms “psychi*”, “video”, “monitoring”, “CCTV”, “observation”, “privacy”, “coercion”, “seclusion”, and “restraint”. Articles in English and German resulting from these searches and relevant references cited in those articles were reviewed. A total of 16 articles with a main focus on video monitoring in psychiatry were identified. Of these, nine were original research articles, the other seven were ethical reviews. Six articles addressed both monitoring of private and shared spaces, while a further six were limited to the monitoring of shared spaces and four were limited to private spaces (i.e., bedrooms, seclusion and restraint rooms). Owing to the heterogeneous nature of the available research, a narrative review of literature was conducted.

Video surveillance in shared spaces for security purposes

Psychiatric institutions primarily installed video surveillance to increase security for patients and staff (1, 2, 5, 6, 8). Violence in psychiatric institutions is a serious concern for all persons involved,

whether directed at staff by patients, amongst patients, or from staff towards patients (12). For this reason video surveillance is often intended to prevent, recognize and/or document violent incidents, sexual assaults, theft, and other unwanted behavior (5–7). The benefit being sought, increased security, often has been thought to outweigh the loss of privacy involved (5). However, the aspects of security that video monitoring was expected to improve (e.g., prevention of violence or self-harm, more rapid intervention by staff) varied across studies and often remained undefined (1, 7, 8). In this article, security is understood as protection from intentional harms, in contrast to safety, which refers to prevention of accidental harms.

Empirical data have shown that video surveillance helps to create a sense of security among many patients and staff: a majority feels more secure in the presence of video surveillance (1, 4, 5), with one study finding that 82.6% of patients believe that video surveillance increases the security and safety of patients and visitors on the ward (1). However, there is no evidence that video surveillance – apart from an increased *sense of security* – increases *objective security*. Several smaller studies found no association between the occurrence of violent incidents and the presence of video surveillance on psychiatric wards (2, 4, 6). Larger studies of video surveillance in other types of public areas also found no correlation between violent crime and the presence of cameras (13).

An example of studies that failed to provide evidence of an impact of video monitoring on violence rates comes from Vartiainen and Hakola (2), who examined the impact of renovations and the addition of video surveillance to a forensic ward. They found a drop in violent incidents from 70 in the year before the renovations to 57 (-18%) the next year. However, renovating the ward changed many variables at once, including reducing the number of beds from 50 to 39 (-22%). The authors suggested that the video monitoring may have had an impact on the number of violent incidents. However, this conclusion is questionable, considering the concomitant reduction in beds. If anything, it appears that the count of violent incidents per bed increased, though this was not reported in the study.

Paradoxically, use of video surveillance can have negative effects on security. Over-reliance on video surveillance systems for security was one of the main criticisms from an investigation of a mental health ward in the United Kingdom after the death of a staff member as a result of assault by a patient (14). Judging by the available evidence, the subjective increase in security does not translate into actual decrements in the frequency of violence and by itself cannot justify the use of video cameras in psychiatric institutions.

Video observation in private spaces to monitor individual patients

Cameras can also be used for real-time observation of patients, using the camera as “remote eyes” for the staff (1, 3, 4). This use is different from the use of video surveillance for security purposes (Table 1). In this case, the main benefit of video surveillance is that observing patients via video cameras may be less disturbing to patients (4). However, whether cameras are considered less or more disturbing than direct observation varies widely among patients: some patients prefer being observed via a camera because they feel less aware of the observation, whilst others feel uncomfortable having a camera in their room (4). To date, no studies have been conducted on variation in preferences or benefits for different patient groups, leaving an opportunity for more focused application of video technology in the future.

Video observation in bedrooms

Sleep disorders are a pervasive issue among psychiatric patients (15). Because of sleep’s importance for mental health, patients are often instructed in sleep hygiene, which includes strategies such as avoiding stimulants at night, exercising in the afternoon, and reducing noise (16). However, efforts to improve sleep quality can clash with routine night-time observations (4). These checks sometimes require staff to enter the room at short intervals (e.g., every 15 minutes) so that they can be certain that the patient is breathing and otherwise safe, which can wake the patient and, in the case of shared rooms, other patients as well (4).

To solve this problem, a small proportion of psychiatric hospitals use infrared cameras in bedrooms to allow staff to perform their observation duties without disturbing patients (4, 8). In addition, some nurses feel safer using video cameras for night-time observations, because patients can get upset or even aggressive when awakened repeatedly during the night by observations, presenting a threat at a time when staffing on the unit is typically reduced (4). Patients express mixed opinions, with some opting into video monitoring to enjoy undisturbed sleep, whilst others prefer traditional observation.(4) Since patients have reasonable expectations of privacy in bedrooms, precautions must be taken to protect it when video observation is used (Box 1).

Seclusion and restraint rooms

Coercive measures like seclusion and restraint have psychological and/or physical consequences for some patients: these experiences can be traumatic (17) and mechanical restraints can cause serious injury and even death (18). It is therefore necessary to monitor patients more reliably than usual, both to ensure identification and prompt response to potential medical complications and, by enabling human interaction, to reduce psychological harm caused by seclusion or restraint (17, 19, 20). For this purpose, video cameras have been used in seclusion rooms for over two decades, but their use remains controversial (3, 8, 12).

In-person observation during coercive measures has a twofold benefit: it reduces the risk of harm during the intervention (5) and it provides the opportunity for therapeutic interactions (21). In their systematic review of coercion in psychiatry, Newton-Howes and Mullen found that “the most common conceptualization [of coercion] was that of being dehumanized through a loss of normal human interaction and isolation” (22, p. 467). A number of studies have suggested that the main factor in comforting patients during an episode of seclusion or restraint is contact with staff (17, 19, 23–25). For example, a retrospective study on the traumatic effects of seclusion and restraint found that 57% of patients said that they would have desired more personal attention from staff during the intervention (17). A review of the literature on seclusion practices also found that “more

interaction and better communication between the secluded patient and the staff was a central recommendation” (20, p. 211). Face-to-face observation of patients provides one such opportunity for interaction and communication (12). However, when video cameras are used to observe patients, there is no therapeutic interaction and the observation simply becomes a matter of safety monitoring and risk management (12).

Although in-person observation facilitates therapeutic effects, it does not guarantee that they will occur. A study by Cardell and Pitula on constant observation of suicidal inpatients showed that patients felt a therapeutic effect from observation only if it went hand-in-hand with supportive interactions (21). Supportive interactions were as simple as being friendly, acknowledging patients, distracting them or providing information. However, some observers who were perceived as distanced and unsupportive caused considerable distress for some patients and subjectively worsened their state.

It has been argued that, considering the importance of human interaction, all patients undergoing coercive measures should have this contact and video monitoring should not be used at all (26). However, over-stimulation leading to agitation is one of the reasons for secluding patients, with the reduction of stimuli being proposed as one of the therapeutic mechanisms (27). In such situations, video monitoring can be a way to allow over-stimulated patients to be left alone, while also allowing the staff to carry out their observation duties. However, the evidence is only anecdotal and more research is needed to identify objective benefits of video monitoring in the context of seclusion and restraint. The measures delineated in box 1 are also applicable here. (On a different note, filming distressed patients who are in seclusion or restraint and cannot escape from view can result in a severe infringement on privacy, which is discussed below.)

Effects on workload

Although hopes have been expressed that video monitoring could free up staff time for other tasks (1), Page and Meiklejohn argue that video monitoring for night-time observations does not allow for

a reduction in staffing (28). They found that observation via video camera, including start-up of the system, took about as long as traditional observation, including walking to the patient's room and back. However, the duration and quality of observations using a video camera versus traditional observation has not been quantified, and no research has evaluated the impact of watching multiple video-streams at once on potential time savings and accuracy of the data gathered. Moreover, someone still needs to be present to interpret and, if necessary, react to what is being seen, whether in-person or through a monitor (8, 28). Therefore, the person using video surveillance for observations needs to be equally qualified as a person doing them face-to-face. As Koskela put it, "the camera itself has no eyes. Its lens is blind unless someone is looking through it" (9, p. 249).

Possible adverse effects of video surveillance

Concerns have been expressed that the presence of video cameras might have an adverse effect on patients' wellbeing (1–5, 8, 26). A study amongst 213 inpatients on a video-monitored secure ward found that 13 patients (6.1%) who experienced video surveillance in communal spaces felt that their symptoms of fear, distrust or delusion were worsened (1). In a study by Warr and colleagues (4), patients also raised concerns that video cameras might increase paranoid thoughts. These data suggest that a certain percentage of patients might indeed be significantly, negatively affected by video surveillance, but confirmation in other samples is needed. Whilst it is only a small percentage, these negative effects occur in the context of a lack of demonstrable evidence for benefits of video surveillance in public ward areas.

In addition, some experts have voiced concerns that the use of video cameras might directly contribute to an atmosphere of detachment, control, and fear, which could promote occurrence of the very events that surveillance is supposed to reduce (6, 12). Due to a lack of empirical evidence, this can currently neither be confirmed nor refuted. It should be noted that undertaking to monitor public or private spaces on a ward may create a legal duty for staff to do so diligently, with possible civil liability or disciplinary sanctions imposed for lapses.

Consent

Whether patients need to consent to video monitoring is under debate. Stolovy and colleagues argue that a ward is a public space, and therefore patient consent is not needed, but patients simply should be informed of the presence of cameras (5). Other authors describe similar approaches, where patients were not asked for their consent but were informed of the presence of cameras (6). In the German state of Nordrhein-Westfalen, policymakers went even further, arguing that a patient bedroom is also a public space, since staff members are allowed to enter without the patient's permission (1). This caused a heated public debate, which prompted the government of Nordrhein-Westfalen to prohibit video monitoring in psychiatric units altogether (29).

However, control over decisions about video monitoring seems to be meaningful to many patients: opinions on video monitoring on the ward and in bedrooms vary widely, with some patients finding it reassuring whilst others perceive it as an intrusion (1, 4). It is likely that similar diversity exists for preferences on video surveillance during coercive measures such as seclusion (3), though this has not been studied.

The issue of consent is complicated by the fact that many patients who need to be monitored, potentially via video camera, are admitted involuntarily. Such patients may be antagonistic toward staff and not inclined to consent to video monitoring, even if it were likely to benefit them. One study, however, showed that patients who had been involuntarily admitted acknowledged the potential usefulness of video monitoring significantly more often than patients who had admitted themselves (69.6% versus 46.1%) (1). In the same vein, voluntarily admitted patients more often expressed a perception of dehumanization from undergoing video monitoring in seclusion and restraint rooms. The reason for this was not evident from the data, but the authors suggest that it might stem from a sense of being wrongfully criminalized. This underlines the need to communicate with and explain the benefits of video monitoring to patients so that a suitable monitoring solution can be found, even for those admitted involuntarily. Due to the lack of evidence for objective

benefits of video monitoring beyond patient preference, there currently are no data that support subjecting involuntarily admitted patients to video monitoring against their will.

So far, no significant differences have been found in overall attitudes on video monitoring in different patient populations (1). However, patients with schizophrenia may have a more nuanced view than other patient groups, with twice as many (14.8%) objecting to video monitoring in seclusion and restraint rooms, while only 7.4% objected to surveillance in shared spaces. This suggests that video monitoring is a complex subject that needs to be considered in a differentiated manner on a case-by-case basis.

Offering patients options wherever possible when observation is required (i.e., bedrooms at night, seclusion rooms) could therefore be considered ethically desirable as part of the obligation of supporting patients' autonomy, one of the four cardinal principles of biomedical ethics (30). The principle of autonomy, however, can be in conflict with the principle of distributive justice when resources are limited (30). Thus, administrators and clinicians need to consider carefully whether circumstances permit monitoring options to be made available to patients.

In our view, consent to video monitoring of private spaces should be sought, when alternative options are available, in deference to an ethical obligation to respect patients' autonomy, regardless of whether this is legally required. Once obtained, care should be taken to respect patients' preferences, which Warr and colleagues (4) reported did not always occur. For example, staff members sometimes accidentally turned on the wrong camera, which could have resulted in viewing a patient who had not consented, or used the cameras during daytime and not only at night, as had been agreed upon with patients. This is an example of what Desai called "function creep" (12, p. 87), i.e. when camera systems are used for more than what was initially intended and agreed upon. Warr and colleagues therefore suggested that cameras should be covered in rooms of patients who have not given consent to video monitoring (4). However, respecting the boundaries of patients' consent

and preventing human error can ultimately only be achieved through appropriate training and sensitizing of staff (4).

For emergencies requiring the use of seclusion or restraint, psychiatric advance directives could provide an opportunity for patients to express their preferences on the type of monitoring desired. We note, however, that use of advance directives is still rare among psychiatric patients (31), and even when advance directives exist, staff may fail to consult or honor them in crisis situations (32). Patients' directives on preferences in seclusion or restraint are overridden particularly often (32), and more work is needed to improve the extent and frequency with which psychiatric advance directives are honored during such episodes (33).

Privacy and dignity

Privacy is a major concern with regard to video monitoring in psychiatry (1–6, 8, 12), with the majority of commentators agreeing that privacy should be protected as far as possible, albeit with varying definitions of privacy (34). Privacy can be understood as a moral right that can be deduced from the principle of autonomy (30), i.e., the right to autonomous control of the dissemination of information about oneself. This approach is reflected in the European Convention of Human Rights, which states that every human being has a “right to respect for his private...life” (35, p. 10), a right that has been applied specifically to the context of video monitoring in psychiatry (8). Most legal systems recognize a right to privacy, though the definition of privacy varies widely across jurisdictions (34). The general notion of privacy has been variously described as a right to be unobserved or undisturbed (36), not be intruded upon (34), or simply “to be left alone” (37, p. 193). Any form of observation, whether in person or via CCTV, may therefore be in tension with this understanding of patient privacy (4).

Privacy is integral to maintaining one's self-image and sense of identity, including for psychiatric inpatients (3). Patients often have a reduced ability to control their self-presentations, particularly in

seclusion or restraint, and adding constant video monitoring can lead to a sense of shame, as aspects of self are exposed that the patient would rather have concealed (3). These concerns are not purely theoretical: in a study by Schütze, 11.3% of patients agreed with the statement that video surveillance is “degrading, inhumane and a breach of my personal rights” (1, p. 49), while 73.7% disagreed, and 15% expressed no opinion. The constant possibility of being watched can lead people to observe and control themselves in ways that comply with the potential observer’s goals and intentions (12, 38, 39). Since patients do not know when someone is viewing the images, they have to assume that they could be seen at any time and behave accordingly, assuming they have the capacity to do so (38). Even if the intention of video surveillance is not to alter behavior but merely to document it, the effects on the patient are the same (38), including a potential loss of sense of self and personal identity (3).

To our knowledge, it has not previously been pointed out that installing video cameras comes with a risk of inadvertently introducing constant observation: with traditional observation methods, it is time-consuming to observe a patient constantly, because observation is tied to physical presence. With cameras, this is reversed. It is easier to view a constant video stream as and when needed than to turn on the camera each time before viewing the patient and then off again. Video monitoring indications and duration need to be clearly defined to avoid misuse and to protect patients’ privacy (3, 4). The duration of observation should be defined on clinical grounds (3). If intermittent observation is required, it should not be increased to constant video monitoring simply because it is technically feasible or easier to leave the camera running constantly.

As noted above, patients have contrasting opinions on the extent to which video monitoring is an intrusion on their privacy, compared with traditional modes of observation (4). This substantial variance in the impact on patients’ personal sense of privacy and dignity underlines the need to evaluate the use of video monitoring in each individual case and the desirability of seeking consent for its use, when possible (26).

Saving recordings

The literature on video surveillance in psychiatry is divided on whether to record and store video recordings of patients. The main arguments in favor are that they can provide documentation of incidents for research or serve as evidence in case of allegations of misconduct or for civil or criminal court proceedings (5, 7, 40). Stolovy and colleagues stated that “the photographed scene helps to clarify the situation and mitigates any conflict between two versions of the same event” (5, p.275). Videotape evidence has helped to prove the innocence of staff members wrongfully accused of abusing patients (5, 7). Stolovy and colleagues also reported a case of abuse by a staff person that had been caught on camera: video footage showed a staff member shoving a patient, which led to the staff member being dismissed (5). The usefulness of video recordings in case of conflict needs to be viewed critically. While videos might well help to clarify what happened, the idea that video recordings can “mitigate any conflict” is almost certainly overstated. After all, videos only show one aspect of reality (9). Recorded videos often lack a full sequence of events, which may have begun in another space before moving into view of the camera. Crucial actions may be obscured by the positioning of bodies or furniture, and image quality may not be good enough to allow smaller objects, facial expressions, and other key evidence to be identified. Koskela warns that “people are reduced to doll-like bodies lacking personal qualities, and surveillance is reduced to the observation of bodily movements. The technical equipment that separates the two sides of surveillance makes it difficult for the space to be recognized as a lived, experienced space” (9, p. 251).

Further, Desai (12) argues that if we give too much importance to the questions of establishing blame or fault in our clinical settings, we risk fostering an environment of control and distrust, detracting from an atmosphere of care and communication. In research, video recordings have successfully been used to document and subsequently study inpatient aggression (7, 40, 41). The authors of one of these studies also found benefit in reviewing footage for clinical or administrative reasons (7). To date these potential benefits remain sparsely elucidated and more research is needed to demonstrate the usefulness of storing video recordings for clinical purposes outside of a

research setting. What is certain is that storing personally identifiable video recordings of vulnerable patients comes with significant data protection issues (42). However, the details of data protection and country-specific laws go beyond the scope of this article.

Conclusion

Whether video monitoring is being used in the most effective and ethical manner on psychiatric units needs to be reconsidered. For this, a clear distinction must be made between the two main purposes of video surveillance: constant surveillance for security purposes and selective observation of the safety and wellbeing of patients. Administrators need to clarify the purpose of video surveillance in their institution, and whether video monitoring can truly contribute to addressing it. Considering the lack of evidence regarding the effectiveness of video surveillance in increasing security, we currently see no justification for its use as a security measure. Furthermore, there are indications that imposing video surveillance could cause psychological harm to a small but non-negligible percentage of patients with mental disorders.

On the other hand, video surveillance could be beneficial if patients are offered a choice in observation modalities. This is particularly promising for night-time video monitoring, e.g., for contributing to improved sleep quality. Similarly, video surveillance use in seclusion rooms could be beneficial for some patients, if their agreement is elicited beforehand, for instance in advance directives. However, the overwhelming evidence in favor of increasing therapeutic interaction for secluded patients' well-being means that, in most cases, traditional observation will be superior to video monitoring. Furthermore, the implementation of such an approach will depend on how well systems of consent and psychiatric advance directives work in practice.

While available data call into question the effectiveness of video monitoring in reducing violent incidents, more research is needed to determine the impact of video monitoring in private areas.

Thus, it is currently not possible to make a recommendation on whether a video surveillance system

should be newly acquired to provide an option for monitoring the safety and well-being of patients. However, there are many existing video monitoring systems. We argue that video surveillance systems that were installed to increase security need to be re-evaluated, since the anticipated benefits might not exist, and if they are retained, more effective and ethical use might be possible.

References

1. Schütze M: Examination of the attitudes of mental health patients towards video monitoring on a secure psychiatric ward [dissertation] [Untersuchung der Einstellung psychisch Erkrankter zur Videoüberwachung auf einer geschlossen geführten psychiatrischen Station]. <http://www-brs.ub.ruhr-uni-bochum.de/netahtml/HSS/Diss/SchuetzeMorana/diss.pdf>. Ruhr-Universität Bochum, 2011
2. Vartiainen H, Hakola P: The effects of tv monitoring on ward atmosphere in a security hospital. *International Journal of Law and Psychiatry* 1994; 17:443–449
3. Olsen DP: Ethical considerations of video monitoring psychiatric patients in seclusion and restraint. *Archives of Psychiatric Nursing* 1998; XII:90–94
4. Warr J, Page M, Crossen-White H: The appropriate use of closed circuit television (CCTV) observation in a secure unit. Bournemouth, Institute of Health and Community Studies, 2005
5. Stolovy T, Melamed Y, Afek A: Video surveillance in mental health facilities: Is it ethical? *Israel Medical Association Journal* 2015; 17:274–276
6. Due C, Connellan K, Riggs DW: Surveillance, security and violence in a mental health ward: An ethnographic casestudy of an Australian purpose-built unit. *Surveillance and Society* 2012; 10:292–302
7. Nolan KA, Volavka J: Video recording in the assessment of violent incidents in psychiatric hospitals. *Journal of Psychiatric Practice* 2006; 12:58–63
8. Desai S: The new stars of CCTV: what is the purpose of monitoring patients in communal areas of psychiatric hospital wards, bedrooms and seclusion rooms? *Diversity in Health and Care* 2009; 6:1–9
9. Koskela H: 'The gaze without eyes': video-surveillance and the changing nature of urban space. *Progress in Human Geography* 2000; 24:243–265
10. Clayton Newell B: *Surveillance, Privacy and Public Space*, 1st ed. New York, Routledge, 2019
11. Lett D, Hier SP, Walby K: CCTV Surveillance and the Civic Conversation: A Study in Public Sociology. *The Canadian Journal of Sociology* 2010; 35:437–462
12. Desai S: Violence and surveillance: some unintended consequences of CCTV monitoring within mental health hospital wards. *Surveillance & Society* 2012; 10:292–302
13. Welsh BC, Farrington DP: Public area CCTV and crime prevention: An updated systematic review and meta-analysis. *Justice Quarterly* 2009; 26:716–745
14. Barnard M, Neill P: Report of the external review of John Meyer Ward following the death of

- Eshan Chattun. http://hundredfamilies.org/wp/wp-content/uploads/2013/12/JASON_CANN_ward_review_LON.pdf. London, 2006
15. Benca RM: Sleep in psychiatric disorders. *Neuroscience Facts* 1992; 14:739–764
 16. Stepanski EJ, Wyatt JK: Use of sleep hygiene in the treatment of insomnia. *Sleep Medicine Reviews* 2003; 7:215–225
 17. Steinert T, Michael B, Flammer E, et al.: Subjective distress after seclusion or mechanical restraint: One-year follow-up of a randomized controlled study. *Psychiatric Services* 2013; 64:1012–1017
 18. Evans D, Wood J, Lambert L: Patient injury and physical restraint devices: A systematic review. *Journal of Advanced Nursing* 2003; 41:274–282
 19. Kontio R, Joffe G, Putkonen H, et al.: Seclusion and restraint in psychiatry: Patients' experiences and practical suggestions on how to improve practices and use alternatives. *Perspectives in Psychiatric Care* 2012; 48:16–24
 20. Van Der Merwe M, Muir-Cochrane E, Jones J, et al.: Improving seclusion practice: Implications of a review of staff and patient views. *Journal of Psychiatric and Mental Health Nursing* 2013; 20:203–215
 21. Cardell R, Pitula CR: Suicidal inpatients' perceptions of therapeutic and nontherapeutic aspects of constant observation. *Psychiatric Services* 1999; 50:1066–1070
 22. Newton-Howes G, Mullen R: Coercion in psychiatric care: systematic review of correlates and themes. *Psychiatric services* 2011; 62:465–470
 23. Chien W, Chan CWH, Lam L, et al.: Psychiatric inpatients' perceptions of positive and negative aspects of physical restraint. *Patient Education and Counseling* 2005; 59:80–86
 24. Wynn R: Psychiatric inpatients' experiences with restraint. *Journal of Forensic Psychiatry & Psychology* 2004; 15:124–144
 25. Lanthén K, Rask M, Sunnqvist C: Psychiatric patients experiences with mechanical restraints: An interview study. *Psychiatry Journal* 2015:748392.
 26. Frank U, zu Hoene K: Video monitoring in psychiatry - pro and contra [in German]. *Psychiatrische Praxis* 2013; 40:117–118
 27. Muralidharan S, Fenton M: Containment strategies for people with serious mental illness. *Cochrane Database of Systematic Reviews* 2006; (3):CD002084.
 28. Page M, Meiklejohn C: CCTV and night-time observations. *Mental Health Practice* 2004; 7:12–15
 29. NRW verbietet Videoüberwachung in der Psychiatrie. *aerzteblatt.de* 2011; <https://www.aerzteblatt.de/nachrichten/48069/NRW-verbietet-Videoueberwachung-in-der-Psychiatrie>
 30. Beauchamp TL, Childress JF: *Principles of Biomedical Ethics*, 5th ed. New York, Oxford University Press, 2001
 31. Swanson JW, Swartz MS, Elbogen EB, et al.: Facilitated psychiatric advance directives: A randomized trial of an intervention to foster advance treatment planning among persons with severe mental illness. *American Journal of Psychiatry* 2006; 163:1943–1951
 32. Srebnik DS, Russo J: Consistency of psychiatric crisis care with advance directive instructions.

- Psychiatric Services 2007; 58:1157–1163
33. Trachsel M, Biller-Andorno N: Applying a double standard: The lacking binding character of advance directives of involuntary committed patients with mental disorders in Switzerland [in German]. *Ethik in der Medizin* 2016; 28:239–247
 34. Solove DJ: *Understanding Privacy*. London, Harvard University Press, 2008
 35. European Convention on Human Rights.2010;
 36. Privacy. Merriam-Webster Dictionary 2017; <https://www.merriam-webster.com/dictionary/privacy>
 37. Brandeis LD, Warren SD: The right to privacy. *Harvard Law Review* 1890; 4:193–220
 38. Holmes D: From iron gaze to nursing care: Mental health nursing in the era of panopticism. *Journal of Psychiatric and Mental Health Nursing* 2001; 8:7–15
 39. Salzmann-Erikson M, Eriksson H: Panoptic power and mental health nursing—space and surveillance in relation to staff, patients, and neutral places. *Issues in Mental Health Nursing* 2017; 33:500–504
 40. Nolan KA, Citrome L: Reducing Inpatient Aggression: Does Paying Attention Pay Off? *Psychiatric Quarterly* 2008; 79:91–95
 41. Crowner ML, Peric G, Stepic F, et al.: A Comparison of Videocameras and Official Incident Reports in Detecting Inpatient Assaults. *Hospital and Community Psychiatry* 1994; 45:1144–1145
 42. Schwartz PM, Solove DJ: The PII Problem: Privacy and a New Concept of Personally Identifiable Information. *New York University Law Review* 2011; 86:1815–1894

Tables and Figures

Table 1: Comparison of video surveillance implications by purpose

	Private spaces: health and wellbeing of individual patients	Shared spaces: security of patients and staff
<i>Number of people viewed</i>	One patient (3)	Multiple patients and staff (5)
<i>Main location of cameras</i>	Private spaces (bedrooms, seclusion rooms, restraint rooms) (1, 3, 4)	Shared spaces (e.g., public hallways, kitchen) (1, 2, 5)
<i>Timeframe of observation</i>	Limited to a short duration while staff is using the camera for real-time observations (4)	Constant filming required for continuous deterrence and to capture all incidents (5)
<i>Consent</i>	Can be sought with each patient (4)	Is not sought but patients are informed, e.g., via a sign (1, 2, 5, 6)
<i>Privacy</i>	Privacy is expected and can be violated (3, 4)	Privacy is not expected and therefore cannot be violated
<i>Storage of sensitive data</i>	No storage, as observations are done in real-time	Storage required if videos are saved for evidence purposes
<i>Staff requirements</i>	Existing staff can use the video cameras for routine observations (4)	Additional trained staff may be required to view and assess continuous video streams (3)
<i>Effectiveness</i>	Some evidence of benefits for patients (4)	No evidence for the effectiveness of video surveillance in increasing security
<i>Overlaps in practice</i>	E.g., bedrooms with two or more patients; staff is present during video observations	E.g., patient is alone in a public space and assumes that he has a moment of privacy

Box 1: Recommendations for the use of video monitoring in personal spaces:

The cited literature supports the following basic recommendations for video monitoring as a tool for patient observation (not in order of importance, based on Olsen (3) and Warr and colleagues (4)):

- The default mode of observation should be traditional, face-to-face observation (4). The indication for video monitoring needs to be clearly defined and justified (3). A vague notion of “increased safety” is not adequate (6). In units where the default is video monitoring, patients should be given at least the right to opt out in favor of in-person observation.
- Staff should switch on cameras just before an observation and switch them off when no observation is ongoing (4).
- Patients need to be clearly informed about when they are observed and when they have privacy so they have the chance to present themselves accordingly (3).
- Cameras that are not in use (e.g., due to lack of patient consent) should be clearly made non-functional (e.g., covered up or removed), so that patients can be certain that they are not being watched, and so that the camera can’t be used by staff accidentally or deliberately (4).
- Monitors should only be visible to staff involved with the patients’ care (3, 4).